

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

12

EUROPEAN PATENT APPLICATION

21 Application number: 88302237.8

51 Int. Cl.⁴: F 01 N 3/02

22 Date of filing: 15.03.88

30 Priority: 20.03.87 JP 66410/87
20.03.87 JP 66411/87
20.08.87 JP 206702/87

43 Date of publication of application:
21.09.88 Bulletin 88/38

84 Designated Contracting States: DE FR GB

88 Date of deferred publication of search report:
25.01.89 Bulletin 89/04

71 Applicant: Matsushita Electric Industrial Co., Ltd.
1006, Oaza Kadoma
Kadoma-shi Osaka-fu, 571 (JP)

72 Inventor: Kusuda, Takao
7-32 Higashiyamacho
Ashiya-shi (JP)

Yonemura, Masaaki
8-56 Chiyogaoka-2-chome
Nara-shi (JP)

Shimoda, Hisanori
18-1-906 Yamadahigashi-3-chome
Suita-shi (JP)

Takigawa, Masuo
1658-268 Kitatawaracho
Ikoma-shi (JP)


Mihara, Toshihiro
18-2 Sugiyamate-1-chome
Hirakata-shi (JP)

74 Representative: Woodin, Anthony John et al
Fitzpatricks Europe House Box No. 88 World Trade
Center East Smithfield
London E1 9AA (GB)

54 A purifier of diesel particulates in exhaust gas.

57 Provided is a regeneration system of an exhaust gas filtering element for diesel particulates. The system comprises two filter elements (34a, 34b) provided in parallel with each other, a burner mechanism (1), and a four-way valve mechanism (16) for switching over an exhaust gas flow and a preheated gas flow obtained by combustion in the burner mechanism (1). The exhaust gas flow is generally passed uniformly through the two filter elements (34a, 34b) which filter off particulates. However, when regeneration is required, an elliptical vane (22) provided in a cylinder (17) of the four-way valve mechanism (16) is rotated so as to cut off the exhaust gas flow passing through one of the filter elements and cause the preheated gas to flow through this filter, whereby particulates are oxidized and incinerated. At this time, the exhaust gas flow is passed through the other filter element, without any particulates being emitted into the atmosphere. Then, the exhaust gas flow and the preheated gas flow are switched by rotating the vane (22) so that the other filter element is regenerated.

FIG. 1





European Patent
Office

EUROPEAN SEARCH REPORT

Application Number

EP 88 30 2237

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl. 4)
X	PATENT ABSTRACTS OF JAPAN, vol. 10, no. 29 (M-451)[2086], 5th February 1986; & JP-A-60 184 917 (HITACHI SEISAKUSHO K.K.) 20-09-1985 * Abstract; figure *	1	F 01 N 3/02
A	IDEM. ---	5-7	
X	US-A-4 373 330 (STARK) * Column 2, lines 23-63; column 5, line 66 - column 6, line 38; figure 1 *	1,4	
A	---	7	
X	US-A-4 381 643 (STARK) * Column 3, line 65 - column 4, line 22; column 6, line 40 - column 7, line 54; figure 2 *	1,4	
A	---	5-7	
X	DE-A-3 204 176 (FORSCHUNGSGESELLSCHAFT FÜR ENERGIE-TECHNIK UND VERBRENNUNGSMOTOREN mbH) * Page 7, middle - page 9, middle; figures 1-5 *	1,4	TECHNICAL FIELDS SEARCHED (Int. Cl.4)
A	---	2	F 01 N F 16 K
X,P	DE-U-8 701 816 (MAN TECHNOLOGIE GmbH) * Page 3, middle - page 4, bottom; figures 1,2 *	1	
A,P	---	2	
A	EP-A-0 207 446 (ISUZU) * Column 3, lines 23-38; figure 1 * --- -/-	1,5,6	
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 20-10-1988	Examiner FRIDEN C.M.
CATEGORY OF CITED DOCUMENTS			
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

EPO FORM 1503 03.82 (P0401)



European Patent
Office

EUROPEAN SEARCH REPORT

Page 2

Application Number

EP 88 30 2237

DOCUMENTS CONSIDERED TO BE RELEVANT			CLASSIFICATION OF THE APPLICATION (Int. Cl.4)
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	
A	EP-A-0 087 067 (MATSUSHITA) * Paragraph 2 *	7	
A	EP-A-0 121 445 (NGK INSULATORS LTD) * Page 1, lines 1-9; page 9, line 27 - page 10, line 11 *	7	
A	FR-A- 958 836 (LINDHOLM) * Whole document *	2	
A	FR-A-2 300 277 (CASEM)		
			TECHNICAL FIELDS SEARCHED (Int. Cl.4)
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 20-10-1988	Examiner FRIDEN C.M.
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons ----- & : member of the same patent family, corresponding document			

EPO FORM 1503 03/82 (P0401)